

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((payload or packet) near2 (size or length)) with (depend\$3 or accord\$3 or associat\$3 or based or basis) near5 ((previous or last) near2 (address or IP or destination))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/08 13:30
L2	103	((payload or packet) near2 (size or length)) with ((previous or last) near2 (address or IP or destination))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/08 13:31
L3	25219215	(@rlad<"20030801" or @ad<"20030801" or @ptad<"20030801")	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/08 13:31
L4	29	2 3	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/08 13:31
S1	6	(adjust\$3 or modif\$5 or chang\$3 or updat\$3) near4 (monitor\$3 or analyz\$3 or ((traffic\$4 near3 (manag\$4 or controll\$4)))) with ((based or basis or depend\$3 or accord\$3 or associat\$3 or respectiv\$4) near3 (uplink or up\$1link))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 14:40
S2	11	(adjust\$3 or modif\$5 or chang\$3 or updat\$3) near8 (monitor\$3 or analyz\$3 or ((traffic\$4 near3 (manag\$4 or controll\$4)))) with ((based or basis or depend\$3 or accord\$3 or associat\$3 or respectiv\$4) near3 (uplink or up\$1link))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 14:47
S3	94	(adjust\$3 or modif\$5 or chang\$3 or updat\$3) near8 (monitor\$3 or analyz\$3 or ((traffic\$4 near3 (manag\$4 or controll\$4)))) near8 (uplink or up\$1link)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 14:48
S4	2207	(adjust\$3 or modif\$5 or chang\$3 or updat\$3) near8 (monitor\$3 or analyz\$3 or ((traffic\$4 near3 (manag\$4 or controll\$4)))) near8 (bandwidth or protocol or tcp or udp or rtp or (connection near2 type))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 15:11

S5	25219215	((@rlad<"20030801" or @ad<"20030801" or @ptad<"20030801"))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 15:12
S6	1394	S4 S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 15:12
S7	60	S3 S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 15:12
S8	7	(adjust\$3 or modif\$5 or chang \$3 or updat\$3) near8 (monitor \$3 or analyz\$3 or ((traffic\$4 near3 (manag\$4 or controll \$4)))) near8 (bandwidth or protocol or tcp or udp or rtp or (connection near2 type)) with (uplink or up\$1link)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 15:17
S9	1	(retriev\$3 or determin\$3) near4 (updat\$3 or modifi\$5 or adjust\$3) near3 (payload near size) near8 (table)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 17:41
S10	1	(retriev\$3 or determin\$3) near9 (updat\$3 or modifi\$5 or adjust\$3) near9 (payload near size) near8 (table)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 17:41
S11	86	(payload near size) near8 (table)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 17:42
S12	46	S5 S11	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 17:42
S13	1	(payload near size) near8 (table) with (updat\$3 or modifi \$5 or adjust\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 17:45
S14	0	(payload near size) near8 (table) with (retriv\$3 or "from")	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 17:46

S15	1	(payload near size) near8 (table) with (retriev\$3 or "from")	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 17:46
S16	3	(payload near size) near8 (table) with (acquir\$3 or obtain\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 17:48
S17	40	((payload or packet) near (size or length)) near8 (table) with (acquir\$3 or obtain\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 17:49
S18	0	(adjust\$3 or modif\$5 or chang\$3 or updat\$3) near8 (monitor\$3 or analyz\$3 or ((traffic\$4 near3 (manag\$4 or controll\$4)))) near8 (protocol or tcp or udp or rtp or (connection near2 type)) with (uplink or up\$1link)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 18:18
S19	2	(monitor\$3 or analyz\$3 or ((traffic\$4 near3 (manag\$4 or controll\$4)))) near8 (protocol or tcp or udp or rtp or (connection near2 type)) with (uplink or up\$1link) with (based or basis or depend\$3 or associat\$3 or accord\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 18:20
S20	4356	(monitor\$3 or analyz\$3 or ((traffic\$4 near3 (manag\$4 or controll\$4)))) near8 (protocol or tcp or udp or rtp or (connection near2 type)) with (based or basis or depend\$3 or associat\$3 or accord\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 18:21
S21	151	((payload or packet) near (size or length)) near8 (adjust\$3 or chang\$3 or modif\$5 or updat\$3) near6 (bandwidth or protocol or (connection near type))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 19:24
S22	95	S21 S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 19:31
S23	12	S22 (COS) and (monitor\$3 near4 (service or traffic))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 19:33

S24	2824	(Class near2 service) and (monitor\$3 near4 (service or traffic))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 19:35
S25	0	((payload or packet) near (size or length)) near8 (adjust\$3 or chang\$3 or modifi\$5 or updat\$3) near8 (protocol or (connection near type) or bandwidth or rate or throughput) near6 up\$1link	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 19:36
S26	469	((payload or packet) near (size or length)) near8 (adjust\$3 or chang\$3 or modifi\$5 or updat\$3) near8 (protocol or (connection near type) or bandwidth or rate or throughput)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 19:37
S27	43	S24 S26	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 19:37
S28	18	S27 S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 19:37
S29	1338	modifier near function	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:03
S30	29	(modifier near function) with (adjust\$3 or modifi\$5 or chang\$3 or updat\$3) with (protocol or (connection near2 type) or bandwidth or throughput or rate or strength)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:07
S31	24	S30 S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:08
S32	823854	(adjust\$3 or modifi\$5 or chang\$3 or updat\$3) with (protocol or (connection near2 type) or bandwidth or throughput or rate or strength)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:17
S33	702	(adjust\$3 or modifi\$5 or chang\$3 or updat\$3) with (protocol or (connection near2 type) or bandwidth or throughput or rate or strength) with (packet near (size or length))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:18

S34	763	(adjust\$3 or modifi\$5 or chang\$3 or updat\$3) with (protocol or (connection near2 type) or bandwidth or throughput or rate or strength) with ((payload or packet) near (size or length))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:18
S35	93	(adjust\$3 or modifi\$5 or chang\$3 or updat\$3) with (protocol or (connection near2 type) or bandwidth or throughput or rate or strength) with ((payload) near (size or length))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:19
S36	18573	(class near2 service)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:20
S37	7	S35 S36	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:20
S38	0	(adjust\$3 or modifi\$5 or chang\$3 or updat\$3) with (uplink or up\$1link) with ((payload) near (size or length))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:23
S39	328	(adjust\$3 or modifi\$5 or chang\$3 or updat\$3) with (uplink or up\$1link or protocol) with (monitor\$3 or analyz\$3 or manag\$5) near3 (traffic or service)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:24
S40	48	S36 S39	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:24
S41	39	S40 S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:25
S42	167	(adjust\$3 or modifi\$5 or chang\$3 or updat\$3) with (uplink near2 (bandwidth or capacity or throughput))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:33
S43	27	S42 S36	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:33

S44	21	S43 S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:33
S45	10075	(function or parameter or metric) near4 (current near value)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:48
S46	779	(function or parameter or metric) near4 (current near value) near5 (monitor\$3 or measur\$3 or meter\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:48
S47	134437	"370"/\$.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:48
S48	5	(function) near5 (depend\$3 or associat\$3) near4 (last or previoud) near4 (IP or address or destination)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:58
S51	1397	(depend\$3 or associat\$3) near4 (last or previous) near4 (IP or address or destination)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 20:59
S52	204	S47 S51	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:00
S53	149	S52 S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:00
S54	53748	(monitor\$3 or detector or analyz\$3) near3 (traffic or service)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:02
S55	140331	(monitor\$3 or detector or analyz\$3) near6 (limit\$3 or threshold)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:02
S56	6567	S55 S54	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:03

S57	189309	(monitor\$3 or detector or analyz\$3) near6 (current)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:03
S58	1699	S56 S57	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:03
S59	191	S58 S47	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:03
S60	135	S59 S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:03
S61	151	(monitor\$3 or detector or analyz\$3) near6 (last near2 (destination or address))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:07
S62	17	S61 S54	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:07
S63	6	S62 S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:07
S64	372	(function or routing) near4 (last or previous) near3 (address or destination)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:10
S65	86	S64 S47	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:10
S66	61	S65 S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:11
S67	3	S66 S54	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:11

S68	2	((last or previous) near destination near6 (function) near6 (depend\$3 or accord\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:15
S69	70	((previous or last) adj (destination or address) S61	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:17
S70	70	((previous or last) adj (destination or address)) S61	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:19
S71	229	((previous or last) adj (destination or address)) S54	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:19
S72	180	S71 S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:19
S73	474	((previous or last) adj (destination or address)) near7 (depend\$3 or based or basis or accord\$3 or associat \$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:22
S74	4	S73 S54	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/06 21:22

3/ 8/ 2009 2:54:47 PM